



PROPIONITRILE

UN 2404

Shipping Name: Propionitrile
Other Names: Cyanoethane
Ethyl cyanide
Propionic nitrile
Propyl nitrile



WARNING! • **POISON! BREATHING THE VAPORS, SWALLOWING THE MATERIAL OR SKIN CONTACT CAN KILL YOU! CONVERTED TO CYANIDE IN THE BODY!**
• Fire fighting gear (including SCBA) provides NO protection. If exposure occurs, remove and isolate gear immediately and thoroughly decontaminate personnel.

Hazards: <ul style="list-style-type: none">• Vapors are heavier than air and will collect and stay in low areas• Highly flammable• Container may BLEVE or explode when exposed to fire• Vapors may travel long distances to ignition sources and flashback• Vapors in confined areas (e.g., tanks, sewers, buildings) may explode when exposed to fire• Irritating to skin, eyes, nose and lungs• Combustion and decomposition products upon heating include toxic cyanide and nitrogen oxides	Description: <ul style="list-style-type: none">• Colorless to brown liquid• Sweet odor• Floats on the surface of water and is moderately soluble in water• Highly flammable• Vapors are heavier than air and will collect and stay in low areas
Awareness and Operational Level Training Response: <ul style="list-style-type: none">• Do not put yourself in danger by entering a contaminated area to rescue a victim• Stay upwind and uphill• Determine the extent of the problem• Isolate the area of release or fire and deny entry• Remove all ignition sources• For container exposed to fire evacuate the area in all directions because of the risk of BLEVE or explosion• Evacuate the immediate area and downwind for a large release• Notify local health and fire officials and pollution control agencies• If material or contaminated runoff enters waterways, notify downstream users of potentially contaminated water	Operational Level Training Response: <p>RELEASE, NO FIRE:</p> <ul style="list-style-type: none">• Stop the release if it can be done safely from a distance• Prevent material and runoff from entering sewers and waterways if it can be done safely well ahead of the release• Use large amounts of water to disperse vapors - contain runoff• Consider the application of alcohol resistant (AFFF) foam only to large areas of spilled liquid to control vapors• Ventilate confined area if it can be done without placing personnel at risk <p>FIRE:</p> <ul style="list-style-type: none">• Specially trained personnel operating from a safe distance can fight fires using alcohol resistant (AFFF) foam or dry chemical if available in sufficient amounts. Under favorable conditions, experienced crews can use coordinated fog streams to sweep the flames off the surface of the burning liquid. Keep exposures cool to protect against re-ignition. Do not direct straight streams into the liquid.• Cool exposed containers with large quantities of water from unattended equipment or remove intact containers if it can be done safely• If cooling streams are ineffective (venting sound increases in volume and pitch, tank discolors or shows any signs of deforming), withdraw immediately to a secure location

First Aid:

- **Do not put yourself in danger by entering a contaminated area to rescue a victim**
- Provide Basic Life Support (CPR) as needed
- Decontaminate the victim as follows:
 - ◆ Inhalation - remove the victim to fresh air and give oxygen if available
 - ◆ Skin - remove and isolate contaminated clothing (including shoes) and wash skin with soap and large volumes of water for 15 minutes
 - ◆ Eye - rinse eyes with large volumes of water or saline for 15 minutes
 - ◆ Swallowed - do not make the victim vomit
- **Do NOT perform direct mouth to mouth resuscitation; use a bag/mask apparatus**
- Victims should be examined by a physician as soon as possible
- Toxic effects may be delayed
- Note to physician: can produce cyanide toxicity; if symptoms indicate, initial treatment includes the cyanide antidote kit

CAS: 107-12-0